References:

Anderson,W.J., Haubold,H.J., Mathai,A.M. (1994). Astrophysical Thermonuclear Functions, Astrophys. Space Sci. 214, pp,49-70.

Bhatter,S.,Shekhawat,S.(2010). Multidimensional Fractional Integral Operators Involving General Class Of Polynomial And H – Function. Global Journals of science f.research,vol.10,no.3.pp,50-56.

Bhatter,S.,Shekhawat,S.(2011). A study of generalized fractional derivative operator involving multivariable H- function and general class of multivariable polynomials. J.of the app.math, statistics and info. (jamsi), vol.**7** , no. 1,pp,1-15.

Buschman , R.G.and Srivastava, H.M. (1990). The $\overline{H}$ -function associated with a certain class of Feynman integral, J.Phys.A:Math.Gen.23 , 4,pp,707-710.

Chandel,R.C.S.,Agarwal,R.D.andKumar,H.(1992). Fourier series involving multivariable H-function of Srivastava and Panda . Indian J. Pure Appl. Math. 23 (5),343-357.

Chaurasia,V.B.L and Agnihotri,M.(2010). The two dimensional generalized weyl fractional calculus and special functions. Tamkang j. of Math, vol. 41,No. 2,pp 139-148.

Chaurasia,V.B.L.,Saxena,V.(2010). Certain Triple Integral Relations Involving Multivariable H-function. SCIENTIA Math. Sci., Vol. 19 ,pp, 69–75.

Chaurasia,V.B.L.,Singhal,V.K.(2004). Fractional integration of certain special functions. Tamkang j. of math, vol.35, no.1,pp, 13-22.

Chaurasia,V.B.L and Srivastava,A.(2006). Two-dimensional generalized Weyl fractional calculus pertaining to two-dimensional $\overline{H}$ -transforms .Tamkang j. of Math., vol. 37,no. 3,pp 237-249.

Garg,A.,Singh,Y.,Ramawat,A. (2004). Application of Bessel polynomials in the study of time domain synthesis problem. The Math. Edu.,vol.38,no.3,pp,148-152

Garg,M.,Chanchlani,L.(2011). Kober fractional q-derivative operators Le Mathematiche Vol. 66 Fasc. I, pp. 13–26.

Goyal, S. P., Jain, R. M. and Gaur, N. (1991). Fractional integral operators involving a product of generalized hypergeometric functions and a general class of polynomials. Indian J. Pure Appl. Math. 22 (5), pp.403-411.

Goyal, S. P., Jain, R. M. and Gaur, N. (1992). Fractional integral operators involving a product of generalized hypergeometric functions and a general class of polynomial II. Indian J. Pure Appl. Math. 23 (3), pp.121-128.

Gupta,T.(2007).A study of unified fractional integral operators. Ganita Sandesh,vol. 21,no.1,pp. 136-161.

Gupta,K.,Agarwal,V.(2010). A Theorem Connecting the H-Transform and Fractional Integral Operators Involving the Multivariable H-Function. Tamsui Oxford J. of Math. Sci. 26(4) ,pp.383-395.

Gupta,K.C.,Agarwal,S.M.and Soni,R.C.(1990). Fractional integral formulae involving the multivariableH-function a general class of polynomials. Indian J. Pure Appl. Math. 21 (1), pp.70-77.

Gupta,K.C. , Jain, Rashmi ,Agarwal,P.(1995).A unified study of fractional operators involving general polynomials and a multivariable H- function. Soochow j.of math., vol. 21,no.1, pp.29-40.

Haubold,H.J. and Mathai A.M.(2000). The fractional kinetic equation and thermonuclear functions, Astrophys. and Space Sci.,vol. 273,pp.53-63.

Kim,Y.C. and Srivastava,H.M.(1998). Fractional integral and other linear operators associated with the Gaussian Hypergeometric function. Complex variable theory Appl.34,3,pp.293-312.

Lin, S.-D. , Liu, S.-J. and Srivastava, H. M.(2011), Some families of hypergeometric polynomials and associated multiple integral representations, Integral Transforms Spec. Funct. 22, Pp.403-414.

Mathai,A.M.,Saxena R.K.,Haubold,H.J.(2004). Astrophysical Thermonuclear functions for Boltzmann-Gibbs statistics and Tsallis statistics, Physica A 344,pp.649-656.

Mishra, S. (1990).Integrals involving Legendrel function, generalized hypergeometric series and Fox's H-function and Fourier –Legendre series for products of generalized hypergeometric functions, Indian j.pure appl. Math.,21(9), pp.805-812.

Purohit ,S. D.,Kalla,S.L.,Suthar,D.L. (2011). Fractional integral operators and the multiindex Mittag-Leffer functions .Mathematical Sci., Vol. 21 ,pp. 87–96.

Purohit ,S. D., Yadav ,R. K., Kalla,S.L. (2008). Certain Expansion Formulae Involving a Basic Analogue of Fox's H-Function. j. Appl. and App.Math., Vol. 3, 1 , pp. 128 – 136.

Raina,R.K.,Kiryakova,V.Saigo M.(1995). Representation of Generalized Fractional Integrals in Terms of Laplace Transforms on Spaces Lp. Mathematische Nach. vol 176,1, pp. 149–158.

Rathie,A.K. (1997). A new generalization of generalized hypergeometric functions, Le Mathematiche Fasc.II, 52, pp.297-310.

Saha,U.K.,Arora,L.K.(2011). On Weyl Fractional Derivatives of the Product of Hypergeometric Function and H-Function. Int. J. Contemp. Math. Sciences, Vol. 6, no. 29,pp. 1411 – 1418.

Satyanarayana,B.,Kumar,Y.P.(2011). Some finite integrals involving multivariable polynomials, H-function of one variable and H-function of 'r' variables African J. of Math. and Comp. Sci. Research Vol. 4(8), pp. 281-285.

Saxena,R.K.(1998). Functional relations involving generalized *H*-function. Le Mathematiche Vol. LIII Fasc. I, pp. 123-131.
Saxena, R.K. and Kumar, R. (1995). A basic analogue of the generalized H-function. Le Mathematiche Vol. L Fasc. II, pp. 263-271.

Saxena, R. K., Ram, J. (1990). On the two dimensional Whittaker transforms, SERDICA Bulgaricae Math. Pub., vol. 16,pp. 27-30.

Saxena, R. K., Ram, J., Chandak ,S.and Kalla ,S.L. ,(2008). Unified fractional integral formulas for the Fox-Wright generalized hypergeometric function, Kuwait J. Sci. Eng. Vol 35,1,pp.1-20.

Sharma ,K.C.and Singh, Roshni.(2010). Finite summation formulae for multivariable H-function. Tamkang j. of Math., vol.41,no. 4,pp 375-377.

Singh,Y.(2010). The relation between double mellin transform and Double hankel transform with applications Proc. Pakistan Acad. Sci. vol.47(2)pp.107-110.

Singh,Y.,Khan,N.A.(2007). On the derivative of the $\overline{H}$ -function. Soochow j. of math Vol.33, no. 4, pp. 525-528.

Srivastava, H.M., Goyal, S. P and Jain, R. N. (1990).Fractional integral involving a general class of polynomials, J. Math. Anal. appl. Vol.148, pp.87-100.

Srivastava,H.M.,Hussain,M.A.(1995). Fractional integration of the H- function of several variables. Comp.and math.with appl.vol 30,no.9,pp.73-85.

Suthar, D.L., Saxena, R. K. and Ram, J.(2004). Integral Formulas for the H-functions generalized fractional calculus, South East Asian J. Math . & Math. Sc. Vol. 3, pp. 69-74.

Yadav, R.K. and Purohit, S.D. ,Kalla,S.L.(2008). On generalized weyl fractional -integral operator involving generalized basic hypergeometric function, fractional Calc. and App.Analysis, vol. 11(2),pp.129-142.
Yadav, R.K. and Purohit, S.D. (2010). On generalized fractional q-integral operators involving the q-gauss hypergeometric function. Bulletin of math. ana. and appl., vol. 2, 4, pp. 35-44.